

# NTH-119

## Roundback Universal Lamp Holder

Source: 100W R/PAR/BR max.

Type \_\_\_\_\_

Project \_\_\_\_\_

Catalog No. \_\_\_\_\_

Notes \_\_\_\_\_

### PRODUCT DESCRIPTION

Line voltage cylindrical housing, roundback design. Structural arm provides full adjustment of light source for special aiming and completely conceals wire lead from socket to contact head. Internal mechanism allows for adjustment and resists angle degradation. Adjustment knob on housing side allows user to extend or retract the neck of the lamp source

### FEATURES

- Deep drawn solid round back steel housing for high strength and rigidity
- Adjustable socket
- Completely concealed wiring
- Fully adjustable, firm angle position
- High strength stainless steel electrical contacts
- One or two circuit track capable
- Accepts LED lamps

### CONSTRUCTION

**Housing:** 0.030" Deep drawn steel construction with simple, cylindrical design. All edges are softened for aesthetic appearance.

**Structural Arm:** Extruded 0.055" aluminum arm connects fixture housing to electrical contact head. Internal tightening mechanism maintains desired lamp aiming angles. Structural arm also functions as wire way, completely concealing lead wire from socket to contact head.

### ELECTRICAL SYSTEM

**Voltage:** 120V input

**Socket:** Medium base

**Lamp:** R/PAR20, BR/PAR30 or PAR38 (not included)

**Wattage:** 100W max.

### ONE/TWO CIRCUIT CONVERSION


Positive contact (opposite neutral and ground contacts) is preset to "down" position at factory but may be raised to the higher position to install onto the second circuit of Nora Lighting NT- 2300 series two-circuit track.

### LABELS AND LISTINGS

UL Listed



### PRODUCT IMAGES AND DIMENSIONS



## Roundback Universal Lamp Holder

Catalog No.	Finish	Adapter
NTH-119	S = Silver	(blank) = H-style /J = J-style /L = L-style

Example: NTH-119S = Roundback Universal Lamp Holder, Silver finish, H-Style Adapter